

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,792,947 B1
APPLICATION NO. : 09/648143
DATED : September 21, 2004
INVENTOR(S) : Bowden

Page 1 of 5


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The title page, showing an illustrative figure, should be deleted and substitute therefor the attached title page.

Delete drawing sheets 1-3, and substitute therefor the drawing sheets, consisting of FIGS. 1-4 as shown on the attached pages.

Signed and Sealed this

Twenty-eighth Day of July, 2009

A handwritten signature in cursive script that reads "John Doll".

JOHN DOLL
Acting Director of the United States Patent and Trademark Office

(12) **United States Patent**
Bowden

(10) Patent No.: **US 6,792,947 B1**
(45) Date of Patent: **Sep. 21, 2004**

- (54) **FLOW CONTROL VALVE FOR MANUAL RESUSCITATOR DEVICES**
- (75) Inventor: **Kevin D. J. Bowden, Orangeville (CA)**
- (73) Assignee: **O-Two Systems-International Inc. (CA)**
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 386 days.
- (21) Appl. No.: **09/648,143**
- (22) Filed: **Aug. 25, 2000**
- (51) Int. Cl.⁷ **A62B 7/00; A61M 16/00**
- (52) U.S. Cl. **128/205.17; 128/203.11; 128/205.14; 128/205.13; 128/203.28; 128/207.14; 128/207.16; 137/908**
- (58) Field of Search **128/203.11, 204.25, 128/205.17, 205.14, 205.13, 204.18, 203.28, 202.28, 202.29, 207.16, 207.14, 204.28; 137/908, 102, 107, 1**

References Cited

U.S. PATENT DOCUMENTS

- 2,990,838 A * 7/1961 Cross 137/102
- 3,009,459 A * 11/1961 Ruben 128/205.13
- 3,610,237 A * 10/1971 Barkalow et al. 128/204.19
- 3,672,366 A * 6/1972 Burchell et al. 128/205.24
- 3,964,476 A * 6/1976 Palleni 128/205.13
- 4,004,603 A * 1/1977 Jones 137/107
- 4,192,301 A 3/1980 Hardwick 128/205.17
- 4,239,038 A * 12/1980 Holmes 128/205.13
- 4,622,964 A * 11/1986 Flynn 128/205.24
- 4,774,941 A * 10/1988 Cook 128/205.13
- 4,821,713 A * 4/1989 Bauman 128/205.13
- 4,836,198 A * 6/1989 Gates 128/205.18
- 4,898,167 A 2/1990 Pierce et al. 128/205.16
- 5,140,982 A 8/1992 Bauman 128/205.13
- 5,230,330 A * 7/1993 Price 128/203.11
- 5,301,667 A 4/1994 McGrail et al. 128/205.14
- 5,368,022 A 11/1994 Wagner 128/205.24
- 5,398,714 A * 3/1995 Price 137/102

- 5,425,358 A 6/1995 McGrail et al. 128/205.24
- 5,492,115 A * 2/1996 Abramov et al. 128/205.24
- 5,537,998 A * 7/1996 Bauman 128/205.23
- 5,537,999 A * 7/1996 Dearman et al. 128/205.25
- 5,557,049 A 9/1996 Ratner 73/715
- 5,619,988 A 4/1997 Mattila et al. 128/205.24
- 5,632,298 A * 5/1997 Artinian 137/102
- 5,651,361 A * 7/1997 Dearman et al. 128/205.25
- 5,687,709 A * 11/1997 Akerberg 128/203.12
- 5,722,394 A 3/1998 Loescher 128/205.24
- 5,727,546 A 3/1998 Clarke et al. 128/203.15
- 5,878,743 A 3/1999 Zdrojowski et al. . 128/204.23
- 5,944,013 A 8/1999 Burch 128/205.14
- 6,102,038 A * 8/2000 DeVries 128/205.24
- 6,516,800 B1 * 2/2003 Bowden 128/204.18
- 6,622,743 B1 * 9/2003 Kohn et al. 137/1

OTHER PUBLICATIONS

A.H.A., *Guidelines for Cardiopulmonary Resuscitation and Emergency Cardiac Care*—J.A.M.A., Oct. 28, 1999, 2171–2295.

(List continued on next page.)

Primary Examiner—Henry Bennett

Assistant Examiner—Mital Patel


(74) Attorney, Agent, or Firm—Kusner & Jaffe

(57)

ABSTRACT

An improved manual resuscitation device such as a bag-valve-mask (BVM) device with flow control valve to eliminate the danger of patient distension and aspiration of stomach contents during ventilation. The BVM having the usual patient mask with a gas inlet and flexible patient face sealing edge, flexible manually squeezed bag with a one way intake and output valves in flow communication with a gas source and the mask inlet, and exhaust port for exhausting exhaled gas from the mask when the bag output valve is closed. The flow control valve is interposed between the mask and bag to automatically and variably limit the rate of gas flow from the bag to the mask between a predetermined minimum flow rate and a maximum flow rate. A similar flow control valve can be included in any manual resuscitation device such as a pocket mask or face shield to equal advantage.

10 Claims, 3 Drawing Sheets



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,792,947 B1
APPLICATION NO. : 09/648143
DATED : September 21, 2004
INVENTOR(S) : Bowden

Page 3 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Sheet 1, Figure 1




FIG.1

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,792,947 B1
APPLICATION NO. : 09/648143
DATED : September 21, 2004
INVENTOR(S) : Bowden

Page 4 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Sheet 2, Figure 2




FIG.2

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,792,947 B1
APPLICATION NO. : 09/648143
DATED : September 21, 2004
INVENTOR(S) : Bowden

Page 5 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

